




Infinity Cutting Tools



Offerta Promozionale Maggio 2018
>> PUNTE INFINITY



PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 3XD SENZA FORI DIN 6539



ART.-NR CODICE TIALN	DIAMETRO PUNTE	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP3D	3,0	46	16	10,11
PRP3D	3,1	49	18	10,22
PRP3D	3,2	49	18	10,22
PRP3D	3,3	49	18	10,22
PRP3D	3,4	52	20	10,66
PRP3D	3,5	52	20	10,66
PRP3D	3,6	52	20	11,32
PRP3D	3,7	52	20	11,32
PRP3D	3,8	55	22	11,87
PRP3D	3,9	55	22	11,87
PRP3D	4,0	55	22	11,87
PRP3D	4,1	55	22	12,24
PRP3D	4,2	55	22	12,24
PRP3D	4,3	58	24	12,80
PRP3D	4,4	58	24	12,80
PRP3D	4,5	58	24	12,80
PRP3D	4,6	58	24	12,80
PRP3D	4,7	58	24	13,41
PRP3D	4,8	62	26	13,41
PRP3D	4,9	62	26	13,41
PRP3D	5,0	62	26	13,41
PRP3D	5,1	62	26	13,41
PRP3D	5,2	62	26	16,15
PRP3D	5,3	62	26	16,15
PRP3D	5,4	66	28	16,15
PRP3D	5,5	66	28	16,15
PRP3D	5,6	66	28	16,88
PRP3D	5,7	66	28	16,88
PRP3D	5,8	66	28	16,88
PRP3D	5,9	66	28	16,88
PRP3D	6,0	66	28	16,88
PRP3D	6,1	70	31	17,93
PRP3D	6,2	70	31	17,93
PRP3D	6,3	70	31	17,93
PRP3D	6,4	70	31	17,93
PRP3D	6,5	70	31	19,81
PRP3D	6,6	70	31	22,69
PRP3D	6,7	70	31	22,69
PRP3D	6,8	74	34	22,74
PRP3D	6,9	74	34	22,74
PRP3D	7,0	74	34	22,58
PRP3D	7,1	74	34	26,03
PRP3D	7,2	74	34	26,03
PRP3D	7,3	74	34	26,03
PRP3D	7,4	74	34	26,03
PRP3D	7,5	74	34	25,93
PRP3D	7,6	79	37	28,57
PRP3D	7,7	79	37	28,57
PRP3D	7,8	79	37	28,57
PRP3D	7,9	79	37	28,57
PRP3D	8,0	79	37	28,57
PRP3D	8,1	79	37	31,60
PRP3D	8,2	79	37	31,60
PRP3D	8,3	79	37	31,60
PRP3D	8,4	79	37	31,60

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 3XD SENZA FORI DIN 6539



ART.-NR CODICE TIALN	DIAMETRO PUNTE	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP3D	8,5	79	37	32,43
PRP3D	8,6	84	40	34,22
PRP3D	8,7	84	40	34,22
PRP3D	8,8	84	40	34,22
PRP3D	8,9	84	40	34,22
PRP3D	9,0	84	40	32,69
PRP3D	9,1	84	40	36,80
PRP3D	9,2	84	40	36,80
PRP3D	9,3	84	40	36,80
PRP3D	9,4	84	40	36,80
PRP3D	9,5	84	40	35,60
PRP3D	9,6	89	43	37,87
PRP3D	9,7	89	43	37,87
PRP3D	9,8	89	43	37,87
PRP3D	9,9	89	43	37,87
PRP3D	10,0	89	43	36,46
PRP3D	10,2	89	43	40,27
PRP3D	10,5	89	43	40,88
PRP3D	11,0	95	47	44,59
PRP3D	11,5	95	47	45,81
PRP3D	12,0	102	51	45,87
PRP3D	13,0	102	51	63,64
PRP3D	13,5	107	54	66,96
PRP3D	14,0	107	54	68,40
PRP3D	14,5	111	56	77,73
PRP3D	15,0	111	56	79,56
PRP3D	15,5	115	58	82,12
PRP3D	16,0	115	58	83,92
PRP3D	16,5	119	60	81,52
PRP3D	17,0	119	60	87,22
PRP3D	17,5	123	62	95,43
PRP3D	18,0	123	62	102,69
PRP3D	18,5	127	64	114,66
PRP3D	19,0	127	64	117,82
PRP3D	19,5	131	66	123,00
PRP3D	20,0	131	66	126,13

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 3XD SENZA FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP3DM	3,0	6	62	20	16,88
PRP3DM	3,1	6	62	20	16,88
PRP3DM	3,2	6	62	20	16,88
PRP3DM	3,3	6	62	20	16,88
PRP3DM	3,4	6	62	20	16,88
PRP3DM	3,5	6	62	20	16,88
PRP3DM	3,6	6	62	20	16,88
PRP3DM	3,7	6	62	20	16,88
PRP3DM	3,8	6	66	24	16,88
PRP3DM	3,9	6	66	24	16,88
PRP3DM	4,0	6	66	24	16,88
PRP3DM	4,1	6	66	24	16,88
PRP3DM	4,2	6	66	24	16,88
PRP3DM	4,3	6	66	24	16,88
PRP3DM	4,4	6	66	24	16,88
PRP3DM	4,5	6	66	24	16,88
PRP3DM	4,6	6	66	24	16,88
PRP3DM	4,7	6	66	24	16,88
PRP3DM	4,8	6	66	28	16,88
PRP3DM	4,9	6	66	28	16,88
PRP3DM	5,0	6	66	28	16,88
PRP3DM	5,1	6	66	28	16,88
PRP3DM	5,2	6	66	28	16,88
PRP3DM	5,3	6	66	28	16,88
PRP3DM	5,4	6	66	28	16,88
PRP3DM	5,5	6	66	28	16,88
PRP3DM	5,6	6	66	28	16,88
PRP3DM	5,7	6	66	28	16,88
PRP3DM	5,8	6	66	28	16,88
PRP3DM	5,9	6	66	28	16,88
PRP3DM	6,0	6	66	28	16,88
PRP3DM	6,1	8	79	34	28,57
PRP3DM	6,2	8	79	34	28,57
PRP3DM	6,3	8	79	34	28,57
PRP3DM	6,4	8	79	34	28,57
PRP3DM	6,5	8	79	34	28,57
PRP3DM	6,6	8	79	34	28,57
PRP3DM	6,7	8	79	34	28,57
PRP3DM	6,8	8	79	34	28,57
PRP3DM	6,9	8	79	34	28,57
PRP3DM	7,0	8	79	34	28,57
PRP3DM	7,1	8	79	41	28,57
PRP3DM	7,2	8	79	41	28,57
PRP3DM	7,3	8	79	41	28,57
PRP3DM	7,4	8	79	41	28,57
PRP3DM	7,5	8	79	41	28,57
PRP3DM	7,6	8	79	41	28,57
PRP3DM	7,7	8	79	41	28,57
PRP3DM	7,8	8	79	41	28,57
PRP3DM	7,9	8	79	41	28,57
PRP3DM	8,0	8	79	41	28,57
PRP3DM	8,1	10	89	47	36,46
PRP3DM	8,2	10	89	47	36,46
PRP3DM	8,3	10	89	47	36,46
PRP3DM	8,4	10	89	47	36,46
PRP3DM	8,5	10	89	47	36,46
PRP3DM	8,6	10	89	47	36,46
PRP3DM	8,7	10	89	47	36,46

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 3XD SENZA FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP3DM	8,8	10	89	47	36,46
PRP3DM	8,9	10	89	47	36,46
PRP3DM	9,0	10	89	47	36,46
PRP3DM	9,1	10	89	47	36,46
PRP3DM	9,2	10	89	47	36,46
PRP3DM	9,3	10	89	47	36,46
PRP3DM	9,4	10	89	47	36,46
PRP3DM	9,5	10	89	47	36,46
PRP3DM	9,6	10	89	47	36,46
PRP3DM	9,7	10	89	47	36,46
PRP3DM	9,8	10	89	47	36,46
PRP3DM	9,9	10	89	47	36,46
PRP3DM	10,0	10	89	47	36,46
PRP3DM	10,1	12	102	55	45,87
PRP3DM	10,2	12	102	55	45,87
PRP3DM	10,3	12	102	55	45,87
PRP3DM	10,4	12	102	55	45,87
PRP3DM	10,5	12	102	55	45,87
PRP3DM	10,6	12	102	55	45,87
PRP3DM	10,7	12	102	55	45,87
PRP3DM	10,8	12	102	55	45,87
PRP3DM	10,9	12	102	55	45,87
PRP3DM	11,0	12	102	55	45,87
PRP3DM	11,1	12	102	55	45,87
PRP3DM	11,2	12	102	55	45,87
PRP3DM	11,3	12	102	55	45,87
PRP3DM	11,4	12	102	55	45,87
PRP3DM	11,5	12	102	55	45,87
PRP3DM	11,6	12	102	55	45,87
PRP3DM	11,7	12	102	55	45,87
PRP3DM	11,8	12	102	55	45,87
PRP3DM	11,9	12	102	55	45,87
PRP3DM	12,0	12	102	55	45,87
PRP3DM	12,3	14	107	60	68,40
PRP3DM	12,5	14	107	60	68,40
PRP3DM	12,8	14	107	60	68,40
PRP3DM	13,0	14	107	60	68,40
PRP3DM	13,5	14	107	60	68,40
PRP3DM	13,8	14	107	60	68,40
PRP3DM	14,0	14	107	60	68,40
PRP3DM	14,5	16	115	65	83,92
PRP3DM	14,8	16	115	65	83,92
PRP3DM	15,0	16	115	65	83,92
PRP3DM	15,5	16	115	65	83,92
PRP3DM	15,8	16	115	65	83,92
PRP3DM	16,0	16	115	65	83,92
PRP3DM	16,5	18	123	73	102,69
PRP3DM	16,8	18	123	73	102,69
PRP3DM	17,0	18	123	73	102,69
PRP3DM	17,5	18	123	73	102,69
PRP3DM	17,8	18	123	73	102,69
PRP3DM	18,0	18	123	73	102,69
PRP3DM	18,5	20	131	79	126,13
PRP3DM	19,0	20	131	79	126,13
PRP3DM	19,5	20	131	79	126,13
PRP3DM	19,8	20	131	79	126,13
PRP3DM	20,0	20	131	79	126,13

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 5XD SENZA FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DM *	1,0	3	55	8	20,13
PRP5DM *	1,1	3	55	12	20,13
PRP5DM *	1,2	3	55	12	20,13
PRP5DM *	1,3	3	55	12	20,13
PRP5DM *	1,4	3	55	12	20,13
PRP5DM *	1,5	3	55	12	20,13
PRP5DM *	1,6	3	55	16	20,13
PRP5DM *	1,7	3	55	16	20,13
PRP5DM *	1,8	3	55	16	20,13
PRP5DM *	1,9	3	55	16	20,13
PRP5DM *	2,0	4	57	21	20,13
PRP5DM *	2,1	4	57	21	20,13
PRP5DM *	2,2	4	57	21	20,13
PRP5DM *	2,3	4	57	21	20,13
PRP5DM *	2,4	4	57	21	20,13
PRP5DM *	2,5	4	57	21	20,13
PRP5DM *	2,6	4	57	21	20,13
PRP5DM *	2,7	4	57	21	20,13
PRP5DM *	2,8	4	57	21	20,13
PRP5DM *	2,9	4	57	21	20,13
PRP5DM	3,0	6	66	28	24,88
PRP5DM	3,1	6	66	28	24,88
PRP5DM	3,2	6	66	28	24,88
PRP5DM	3,3	6	66	28	24,88
PRP5DM	3,4	6	66	28	24,88
PRP5DM	3,5	6	66	28	24,88
PRP5DM	3,6	6	66	28	24,88
PRP5DM	3,7	6	66	28	24,88
PRP5DM	3,8	6	74	36	24,88
PRP5DM	3,9	6	74	36	24,88
PRP5DM	4,0	6	74	36	24,88
PRP5DM	4,1	6	74	36	24,88
PRP5DM	4,2	6	74	36	24,88
PRP5DM	4,3	6	74	36	24,88
PRP5DM	4,4	6	74	36	24,88
PRP5DM	4,5	6	74	36	24,88
PRP5DM	4,6	6	74	36	24,88
PRP5DM	4,7	6	74	36	24,88
PRP5DM	4,8	6	82	44	24,88
PRP5DM	4,9	6	82	44	24,88
PRP5DM	5,0	6	82	44	24,88
PRP5DM	5,1	6	82	44	24,88
PRP5DM	5,2	6	82	44	24,88
PRP5DM	5,3	6	82	44	24,88
PRP5DM	5,4	6	82	44	24,88
PRP5DM	5,5	6	82	44	24,88
PRP5DM	5,6	6	82	44	24,88
PRP5DM	5,7	6	82	44	24,88
PRP5DM	5,8	6	82	44	24,88
PRP5DM	5,9	6	82	44	24,88
PRP5DM	6,0	6	82	44	24,88
PRP5DM	6,1	8	91	53	30,55
PRP5DM	6,2	8	91	53	30,55
PRP5DM	6,3	8	91	53	30,55
PRP5DM	6,4	8	91	53	30,55
PRP5DM	6,5	8	91	53	30,55
PRP5DM	6,6	8	91	53	30,55

* Nuove misure

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 5XD SENZA FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DM	6,7	8	91	53	30,55
PRP5DM	6,8	8	91	53	30,55
PRP5DM	6,9	8	91	53	30,55
PRP5DM	7,0	8	91	53	30,55
PRP5DM	7,1	8	91	53	30,55
PRP5DM	7,2	8	91	53	30,55
PRP5DM	7,3	8	91	53	30,55
PRP5DM	7,4	8	91	53	30,55
PRP5DM	7,5	8	91	53	30,55
PRP5DM	7,6	8	91	53	30,55
PRP5DM	7,7	8	91	53	30,55
PRP5DM	7,8	8	91	53	30,55
PRP5DM	7,9	8	91	53	30,55
PRP5DM	8,0	8	91	53	30,55
PRP5DM	8,1	10	103	61	39,34
PRP5DM	8,2	10	103	61	39,34
PRP5DM	8,3	10	103	61	39,34
PRP5DM	8,4	10	103	61	39,34
PRP5DM	8,5	10	103	61	39,34
PRP5DM	8,6	10	103	61	39,34
PRP5DM	8,7	10	103	61	39,34
PRP5DM	8,8	10	103	61	39,34
PRP5DM	8,9	10	103	61	39,34
PRP5DM	9,0	10	103	61	39,34
PRP5DM	9,1	10	103	61	39,34
PRP5DM	9,2	10	103	61	39,34
PRP5DM	9,3	10	103	61	39,34
PRP5DM	9,4	10	103	61	39,34
PRP5DM	9,5	10	103	61	39,34
PRP5DM	9,6	10	103	61	39,34
PRP5DM	9,7	10	103	61	39,34
PRP5DM	9,8	10	103	61	39,34
PRP5DM	9,9	10	103	61	39,34
PRP5DM	10,0	10	103	61	39,34
PRP5DM	10,1	12	118	71	61,18
PRP5DM	10,2	12	118	71	61,18
PRP5DM	10,3	12	118	71	61,18
PRP5DM	10,4	12	118	71	61,18
PRP5DM	10,5	12	118	71	61,18
PRP5DM	10,6	12	118	71	61,18
PRP5DM	10,7	12	118	71	61,18
PRP5DM	10,8	12	118	71	61,18
PRP5DM	10,9	12	118	71	61,18
PRP5DM	11,0	12	118	71	61,18
PRP5DM	11,1	12	118	71	61,18
PRP5DM	11,2	12	118	71	61,18
PRP5DM	11,3	12	118	71	61,18
PRP5DM	11,4	12	118	71	61,18
PRP5DM	11,5	12	118	71	61,18
PRP5DM	11,6	12	118	71	61,18
PRP5DM	11,7	12	118	71	61,18
PRP5DM	11,8	12	118	71	61,18
PRP5DM	11,9	12	118	71	61,18
PRP5DM	12,0	12	118	71	61,18
PRP5DM	12,3	14	124	77	72,50
PRP5DM	12,5	14	124	77	72,50
PRP5DM	12,8	14	124	77	72,50

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 5XD SENZA FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP5DM	13,0	14	124	77	72,50
PRP5DM	13,5	14	124	77	72,50
PRP5DM	13,8	14	124	77	72,50
PRP5DM	14,0	14	124	77	72,50
PRP5DM	14,5	16	133	83	91,27
PRP5DM	14,8	16	133	83	91,27
PRP5DM	15,0	16	133	83	91,27
PRP5DM	15,5	16	133	83	91,27
PRP5DM	15,8	16	133	83	91,27
PRP5DM	16,0	16	133	83	91,27
PRP5DM	16,5	18	143	93	115,66
PRP5DM	16,8	18	143	93	115,66
PRP5DM	17,0	18	143	93	115,66
PRP5DM	17,5	18	143	93	115,66
PRP5DM	17,8	18	143	93	115,66
PRP5DM	18,0	18	143	93	115,66
PRP5DM	18,5	20	153	101	145,05
PRP5DM	19,0	20	153	101	145,05
PRP5DM	19,5	20	153	101	145,05
PRP5DM	19,8	20	153	101	145,05
PRP5DM	20,0	20	153	101	145,05

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 3XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP3DF	3,0	6	62	20	29,77
PRP3DF	3,1	6	62	20	29,77
PRP3DF	3,2	6	62	20	29,77
PRP3DF	3,3	6	62	20	29,77
PRP3DF	3,4	6	62	20	29,77
PRP3DF	3,5	6	62	20	29,77
PRP3DF	3,6	6	62	20	29,77
PRP3DF	3,7	6	62	20	29,77
PRP3DF	3,8	6	66	24	29,77
PRP3DF	3,9	6	66	24	29,77
PRP3DF	4,0	6	66	24	29,77
PRP3DF	4,1	6	66	24	29,77
PRP3DF	4,2	6	66	24	29,77
PRP3DF	4,3	6	66	24	29,77
PRP3DF	4,4	6	66	24	29,77
PRP3DF	4,5	6	66	24	29,77
PRP3DF	4,6	6	66	24	29,77
PRP3DF	4,7	6	66	24	29,77
PRP3DF	4,8	6	66	28	29,77
PRP3DF	4,9	6	66	28	29,77
PRP3DF	5,0	6	66	28	29,77
PRP3DF	5,1	6	66	28	29,77
PRP3DF	5,2	6	66	28	29,77
PRP3DF	5,3	6	66	28	29,77
PRP3DF	5,4	6	66	28	29,77
PRP3DF	5,5	6	66	28	29,77
PRP3DF	5,6	6	66	28	29,77
PRP3DF	5,7	6	66	28	29,77
PRP3DF	5,8	6	66	28	29,77
PRP3DF	5,9	6	66	28	29,77
PRP3DF	6,0	6	66	28	29,77
PRP3DF	6,1	8	79	34	40,44
PRP3DF	6,2	8	79	34	40,44
PRP3DF	6,3	8	79	34	40,44
PRP3DF	6,4	8	79	34	40,44
PRP3DF	6,5	8	79	34	40,44
PRP3DF	6,6	8	79	34	40,44
PRP3DF	6,7	8	79	34	40,44
PRP3DF	6,8	8	79	34	40,44
PRP3DF	6,9	8	79	34	40,44
PRP3DF	7,0	8	79	34	40,44
PRP3DF	7,1	8	79	41	40,44
PRP3DF	7,2	8	79	41	40,44
PRP3DF	7,3	8	79	41	40,44
PRP3DF	7,4	8	79	41	40,44
PRP3DF	7,5	8	79	41	40,44
PRP3DF	7,6	8	79	41	40,44
PRP3DF	7,7	8	79	41	40,44
PRP3DF	7,8	8	79	41	40,44
PRP3DF	7,9	8	79	41	40,44
PRP3DF	8,0	8	79	41	40,44
PRP3DF	8,1	10	89	47	45,32
PRP3DF	8,2	10	89	47	45,32
PRP3DF	8,3	10	89	47	45,32

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 3XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP3DF	8,4	10	89	47	45,32
PRP3DF	8,5	10	89	47	45,32
PRP3DF	8,6	10	89	47	45,32
PRP3DF	8,7	10	89	47	45,32
PRP3DF	8,8	10	89	47	45,32
PRP3DF	8,9	10	89	47	45,32
PRP3DF	9,0	10	89	47	45,32
PRP3DF	9,1	10	89	47	45,32
PRP3DF	9,2	10	89	47	45,32
PRP3DF	9,3	10	89	47	45,32
PRP3DF	9,4	10	89	47	45,32
PRP3DF	9,5	10	89	47	45,32
PRP3DF	9,6	10	89	47	45,32
PRP3DF	9,7	10	89	47	45,32
PRP3DF	9,8	10	89	47	45,32
PRP3DF	9,9	10	89	47	45,32
PRP3DF	10,0	10	89	47	45,32
PRP3DF	10,1	12	102	55	64,87
PRP3DF	10,2	12	102	55	64,87
PRP3DF	10,3	12	102	55	64,87
PRP3DF	10,4	12	102	55	64,87
PRP3DF	10,5	12	102	55	64,87
PRP3DF	10,6	12	102	55	64,87
PRP3DF	10,7	12	102	55	64,87
PRP3DF	10,8	12	102	55	64,87
PRP3DF	10,9	12	102	55	64,87
PRP3DF	11,0	12	102	55	64,87
PRP3DF	11,1	12	102	55	64,87
PRP3DF	11,2	12	102	55	64,87
PRP3DF	11,3	12	102	55	64,87
PRP3DF	11,4	12	102	55	64,87
PRP3DF	11,5	12	102	55	64,87
PRP3DF	11,6	12	102	55	64,87
PRP3DF	11,7	12	102	55	64,87
PRP3DF	11,8	12	102	55	64,87
PRP3DF	11,9	12	102	55	64,87
PRP3DF	12,0	12	102	55	64,87
PRP3DF	12,5	14	107	60	90,64
PRP3DF	13,0	14	107	60	90,64
PRP3DF	13,5	14	107	60	90,64
PRP3DF	14,0	14	107	60	90,64
PRP3DF	14,5	16	115	65	110,63
PRP3DF	15,0	16	115	65	110,63
PRP3DF	15,5	16	115	65	110,63
PRP3DF	16,0	16	115	65	110,63
PRP3DF	16,5	18	123	73	177,73
PRP3DF	17,0	18	123	73	177,73
PRP3DF	17,5	18	123	73	177,73
PRP3DF	18,0	20	131	79	177,73
PRP3DF	18,5	20	131	79	194,17
PRP3DF	19,0	20	131	79	194,17
PRP3DF	19,5	20	131	79	194,17
PRP3DF	20,0	20	131	79	194,17

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 5XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DF *	1,0	3	55	8	34,58
PRP5DF *	1,1	3	55	12	34,58
PRP5DF *	1,2	3	55	12	34,58
PRP5DF *	1,3	3	55	12	34,58
PRP5DF *	1,4	3	55	12	34,58
PRP5DF *	1,5	3	55	12	34,58
PRP5DF *	1,6	3	55	16	34,58
PRP5DF *	1,7	3	55	16	34,58
PRP5DF *	1,8	3	55	16	34,58
PRP5DF *	1,9	3	55	16	34,58
PRP5DF *	2,0	4	57	21	34,58
PRP5DF *	2,1	4	57	21	34,58
PRP5DF *	2,2	4	57	21	34,58
PRP5DF *	2,3	4	57	21	34,58
PRP5DF *	2,4	4	57	21	34,58
PRP5DF *	2,5	4	57	21	34,58
PRP5DF *	2,6	4	57	21	34,58
PRP5DF *	2,7	4	57	21	34,58
PRP5DF *	2,8	4	57	21	34,58
PRP5DF *	2,9	4	57	21	34,58
PRP5DF	3,0	6	66	28	38,21
PRP5DF	3,1	6	66	28	38,21
PRP5DF	3,2	6	66	28	38,21
PRP5DF	3,3	6	66	28	38,21
PRP5DF	3,4	6	66	28	38,21
PRP5DF	3,5	6	66	28	38,21
PRP5DF	3,6	6	66	28	38,21
PRP5DF	3,7	6	66	28	38,21
PRP5DF	3,8	6	74	36	38,21
PRP5DF	3,9	6	74	36	38,21
PRP5DF	4,0	6	74	36	38,21
PRP5DF	4,1	6	74	36	38,21
PRP5DF	4,2	6	74	36	38,21
PRP5DF	4,3	6	74	36	38,21
PRP5DF	4,4	6	74	36	38,21
PRP5DF	4,5	6	74	36	38,21
PRP5DF	4,6	6	74	36	38,21
PRP5DF	4,7	6	74	36	38,21
PRP5DF	4,8	6	82	44	38,21
PRP5DF	4,9	6	82	44	38,21
PRP5DF	5,0	6	82	44	38,21
PRP5DF	5,1	6	82	44	38,21
PRP5DF	5,2	6	82	44	38,21
PRP5DF	5,3	6	82	44	38,21
PRP5DF	5,4	6	82	44	38,21
PRP5DF	5,5	6	82	44	38,21
PRP5DF	5,6	6	82	44	38,21
PRP5DF	5,7	6	82	44	38,21
PRP5DF	5,8	6	82	44	38,21
PRP5DF	5,9	6	82	44	38,21
PRP5DF	6,0	6	82	44	38,21
PRP5DF	6,1	8	91	53	42,21
PRP5DF	6,2	8	91	53	42,21

* Nuove misure

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 5XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DF	6,3	8	91	53	42,21
PRP5DF	6,4	8	91	53	42,21
PRP5DF	6,5	8	91	53	42,21
PRP5DF	6,6	8	91	53	42,21
PRP5DF	6,7	8	91	53	42,21
PRP5DF	6,8	8	91	53	42,21
PRP5DF	6,9	8	91	53	42,21
PRP5DF	7,0	8	91	53	42,21
PRP5DF	7,1	8	91	53	42,21
PRP5DF	7,2	8	91	53	42,21
PRP5DF	7,3	8	91	53	42,21
PRP5DF	7,4	8	91	53	42,21
PRP5DF	7,5	8	91	53	42,21
PRP5DF	7,6	8	91	53	42,21
PRP5DF	7,7	8	91	53	42,21
PRP5DF	7,8	8	91	53	42,21
PRP5DF	7,9	8	91	53	42,21
PRP5DF	8,0	8	91	53	42,21
PRP5DF	8,1	10	103	61	50,26
PRP5DF	8,2	10	103	61	50,26
PRP5DF	8,3	10	103	61	50,26
PRP5DF	8,4	10	103	61	50,26
PRP5DF	8,5	10	103	61	50,26
PRP5DF	8,6	10	103	61	50,26
PRP5DF	8,7	10	103	61	50,26
PRP5DF	8,8	10	103	61	50,26
PRP5DF	8,9	10	103	61	50,26
PRP5DF	9,0	10	103	61	50,26
PRP5DF	9,1	10	103	61	50,26
PRP5DF	9,2	10	103	61	50,26
PRP5DF	9,3	10	103	61	50,26
PRP5DF	9,4	10	103	61	50,26
PRP5DF	9,5	10	103	61	50,26
PRP5DF	9,6	10	103	61	50,26
PRP5DF	9,7	10	103	61	50,26
PRP5DF	9,8	10	103	61	50,26
PRP5DF	9,9	10	103	61	50,26
PRP5DF	10,0	10	103	61	50,26
PRP5DF	10,1	12	118	71	70,65
PRP5DF	10,2	12	118	71	70,65
PRP5DF	10,3	12	118	71	70,65
PRP5DF	10,4	12	118	71	70,65
PRP5DF	10,5	12	118	71	70,65
PRP5DF	10,6	12	118	71	70,65
PRP5DF	10,7	12	118	71	70,65
PRP5DF	10,8	12	118	71	70,65
PRP5DF	10,9	12	118	71	70,65
PRP5DF	11,0	12	118	71	70,65
PRP5DF	11,1	12	118	71	70,65
PRP5DF	11,2	12	118	71	70,65
PRP5DF	11,3	12	118	71	70,65
PRP5DF	11,4	12	118	71	70,65
PRP5DF	11,5	12	118	71	70,65
PRP5DF	11,6	12	118	71	70,65

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 5XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DF	11,7	12	118	71	70,65
PRP5DF	11,8	12	118	71	70,65
PRP5DF	11,9	12	118	71	70,65
PRP5DF	12,0	12	118	71	70,65
PRP5DF	12,5	14	124	77	95,09
PRP5DF	13,0	14	124	77	95,09
PRP5DF	13,5	14	124	77	95,09
PRP5DF	14,0	14	124	77	95,09
PRP5DF	14,5	16	133	83	125,66
PRP5DF	15,0	16	133	83	125,66
PRP5DF	15,5	16	133	83	125,66
PRP5DF	16,0	16	133	83	125,66
PRP5DF	16,5	18	143	93	187,94
PRP5DF	17,0	18	143	93	187,94
PRP5DF	17,5	18	143	93	187,94
PRP5DF	18,0	18	143	93	187,94
PRP5DF	18,5	20	153	101	215,18
PRP5DF	19,0	20	153	101	215,18
PRP5DF	19,5	20	153	101	215,18
PRP5DF	20,0	20	153	101	215,18



PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 8XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP8DF	3,0	6	72	34	74,78
PRP8DF	3,1	6	72	34	74,78
PRP8DF	3,2	6	72	34	74,78
PRP8DF	3,3	6	72	34	74,78
PRP8DF	3,4	6	72	34	74,78
PRP8DF	3,5	6	72	34	74,78
PRP8DF	3,6	6	72	34	74,78
PRP8DF	3,7	6	72	34	74,78
PRP8DF	3,8	6	81	43	74,78
PRP8DF	3,9	6	81	43	74,78
PRP8DF	4,0	6	81	43	74,78
PRP8DF	4,1	6	81	43	74,78
PRP8DF	4,2	6	81	43	74,78
PRP8DF	4,3	6	81	43	74,78
PRP8DF	4,4	6	81	43	74,78
PRP8DF	4,5	6	81	43	74,78
PRP8DF	4,6	6	81	43	74,78
PRP8DF	4,7	6	81	43	74,78
PRP8DF	4,8	6	95	57	74,78
PRP8DF	4,9	6	95	57	74,78
PRP8DF	5,0	6	95	57	74,78
PRP8DF	5,1	6	95	57	74,78
PRP8DF	5,2	6	95	57	74,78
PRP8DF	5,3	6	95	57	74,78
PRP8DF	5,4	6	95	57	74,78
PRP8DF	5,5	6	95	57	74,78
PRP8DF	5,6	6	95	57	74,78
PRP8DF	5,7	6	95	57	74,78
PRP8DF	5,8	6	95	57	74,78
PRP8DF	5,9	6	95	57	74,78
PRP8DF	6,0	6	95	57	74,78
PRP8DF	6,1	8	114	76	81,39
PRP8DF	6,2	8	114	76	81,39
PRP8DF	6,3	8	114	76	81,39
PRP8DF	6,4	8	114	76	81,39
PRP8DF	6,5	8	114	76	81,39
PRP8DF	6,6	8	114	76	81,39
PRP8DF	6,7	8	114	76	81,39
PRP8DF	6,8	8	114	76	81,39
PRP8DF	6,9	8	114	76	81,39
PRP8DF	7,0	8	114	76	81,39
PRP8DF	7,1	8	114	76	81,39
PRP8DF	7,2	8	114	76	81,39
PRP8DF	7,3	8	114	76	81,39
PRP8DF	7,4	8	114	76	81,39
PRP8DF	7,5	8	114	76	81,39
PRP8DF	7,6	8	114	76	81,39
PRP8DF	7,7	8	114	76	81,39
PRP8DF	7,8	8	114	76	81,39
PRP8DF	7,9	8	114	76	81,39
PRP8DF	8,0	8	114	76	81,39
PRP8DF	8,1	10	142	95	110,19
PRP8DF	8,2	10	142	95	110,19
PRP8DF	8,3	10	142	95	110,19

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 8XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP8DF	8,4	10	142	95	110,19
PRP8DF	8,5	10	142	95	110,19
PRP8DF	8,6	10	142	95	110,19
PRP8DF	8,7	10	142	95	110,19
PRP8DF	8,8	10	142	95	110,19
PRP8DF	8,9	10	142	95	110,19
PRP8DF	9,0	10	142	95	110,19
PRP8DF	9,1	10	142	95	110,19
PRP8DF	9,2	10	142	95	110,19
PRP8DF	9,3	10	142	95	110,19
PRP8DF	9,4	10	142	95	110,19
PRP8DF	9,5	10	142	95	110,19
PRP8DF	9,6	10	142	95	110,19
PRP8DF	9,7	10	142	95	110,19
PRP8DF	9,8	10	142	95	110,19
PRP8DF	9,9	10	142	95	110,19
PRP8DF	10,0	10	142	95	110,19
PRP8DF	10,1	12	162	114	145,29
PRP8DF	10,2	12	162	114	145,29
PRP8DF	10,3	12	162	114	145,29
PRP8DF	10,4	12	162	114	145,29
PRP8DF	10,5	12	162	114	145,29
PRP8DF	10,6	12	162	114	145,29
PRP8DF	10,7	12	162	114	145,29
PRP8DF	10,8	12	162	114	145,29
PRP8DF	10,9	12	162	114	145,29
PRP8DF	11,0	12	162	114	145,29
PRP8DF	11,1	12	162	114	145,29
PRP8DF	11,2	12	162	114	145,29
PRP8DF	11,3	12	162	114	145,29
PRP8DF	11,4	12	162	114	145,29
PRP8DF	11,5	12	162	114	145,29
PRP8DF	11,6	12	162	114	145,29
PRP8DF	11,7	12	162	114	145,29
PRP8DF	11,8	12	162	114	145,29
PRP8DF	11,9	12	162	114	145,29
PRP8DF	12,0	12	162	114	145,29
PRP8DF	12,5	14	178	133	175,89
PRP8DF	13,0	14	178	133	175,89
PRP8DF	13,5	14	178	133	175,89
PRP8DF	14,0	14	178	133	175,89

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

PUNTE 12XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP12DF	4,0	6	102	64	144,20
PRP12DF	4,2	6	102	64	144,20
PRP12DF	4,3	6	102	64	144,20
PRP12DF	4,5	6	102	64	144,20
PRP12DF	5,0	6	116	78	144,20
PRP12DF	5,5	6	116	78	144,20
PRP12DF	6,0	6	116	78	144,20
PRP12DF	6,5	8	146	108	169,14
PRP12DF	6,8	8	146	108	169,14
PRP12DF	7,0	8	146	108	169,14
PRP12DF	7,5	8	146	108	169,14
PRP12DF	8,0	8	146	108	169,14
PRP12DF	8,5	10	162	120	214,17
PRP12DF	9,0	10	162	120	214,17
PRP12DF	9,5	10	162	120	214,17
PRP12DF	10,0	10	162	120	214,17
PRP12DF	10,2	12	204	156	280,48
PRP12DF	10,5	12	204	156	280,48
PRP12DF	11,0	12	204	156	280,48
PRP12DF	11,5	12	204	156	280,48
PRP12DF	12,0	12	204	156	280,48

PROMOZIONE PUNTE METALLO DURO CON FORI PER REFRIGERANTE

NEW

PUNTE 20XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP20DF	3,0	6	110	70	205,76
PRP20DF	3,5	6	136	96	205,76
PRP20DF	4,0	6	136	96	219,25
PRP20DF	4,5	6	158	118	245,11
PRP20DF	5,0	6	158	118	249,61
PRP20DF	5,5	6	180	140	260,85
PRP20DF	6,0	6	180	140	287,83
PRP20DF	6,5	8	202	162	314,82
PRP20DF	7,0	8	202	162	319,32
PRP20DF	7,5	8	223	183	346,31
PRP20DF	8,0	8	223	183	373,29
PRP20DF	8,5	10	249	205	411,52
PRP20DF	9,0	10	249	205	418,26
PRP20DF	10,0	10	271	227	418,26
PRP20DF	12,0	12	323	274	460,99

PROMOZIONE PUNTE METALLO DURO CON FORI PER REFRIGERANTE

NEW

PUNTE 25XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP25DF	3,0	6	125	85	227,13
PRP25DF	3,5	6	156	116	227,13
PRP25DF	4,0	6	156	116	245,11
PRP25DF	4,5	6	183	143	274,34
PRP25DF	5,0	6	183	143	285,59
PRP25DF	5,5	6	210	170	299,08
PRP25DF	6,0	6	210	170	339,56
PRP25DF	6,5	8	237	197	353,05
PRP25DF	7,0	8	237	197	357,54
PRP25DF	7,5	8	263	223	398,02
PRP25DF	8,0	8	263	223	434,00
PRP25DF	8,5	10	294	250	472,23
PRP25DF	9,0	10	294	250	535,20
PRP25DF	10,0	10	321	277	535,20
PRP25DF	12,0	12	386	337	607,15

PROMOZIONE PUNTE METALLO DURO CON FORI PER REFRIGERANTE

NEW

PUNTE 30XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP30DF	3,0	6	140	100	256,36
PRP30DF	3,5	6	176	136	256,36
PRP30DF	4,0	6	176	136	278,84
PRP30DF	4,5	6	208	168	323,81
PRP30DF	5,0	6	208	168	330,56
PRP30DF	5,5	6	240	200	348,55
PRP30DF	6,0	6	240	200	389,03
PRP30DF	6,5	8	272	232	420,51
PRP30DF	7,0	8	272	232	420,51
PRP30DF	7,5	8	303	263	472,23
PRP30DF	8,0	8	303	263	503,71
PRP30DF	8,5	10	339	295	535,20
PRP30DF	9,0	10	339	295	559,93
PRP30DF	10,0	10	371	327	559,93

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

NEW

PUNTE PER INOX 3XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP3DF-INOX	3,0	6	62	20	31,90
PRP3DF-INOX	3,1	6	62	20	31,90
PRP3DF-INOX	3,2	6	62	20	31,90
PRP3DF-INOX	3,3	6	62	20	31,90
PRP3DF-INOX	3,4	6	62	20	31,90
PRP3DF-INOX	3,5	6	62	20	31,90
PRP3DF-INOX	3,6	6	62	20	31,90
PRP3DF-INOX	3,7	6	62	20	31,90
PRP3DF-INOX	3,8	6	66	24	31,90
PRP3DF-INOX	3,9	6	66	24	31,90
PRP3DF-INOX	4,0	6	66	24	31,90
PRP3DF-INOX	4,1	6	66	24	31,90
PRP3DF-INOX	4,2	6	66	24	31,90
PRP3DF-INOX	4,3	6	66	24	31,90
PRP3DF-INOX	4,4	6	66	24	31,90
PRP3DF-INOX	4,5	6	66	24	31,90
PRP3DF-INOX	4,6	6	66	24	31,90
PRP3DF-INOX	4,7	6	66	24	31,90
PRP3DF-INOX	4,8	6	66	28	31,90
PRP3DF-INOX	4,9	6	66	28	31,90
PRP3DF-INOX	5,0	6	66	28	31,90
PRP3DF-INOX	5,1	6	66	28	31,90
PRP3DF-INOX	5,2	6	66	28	31,90
PRP3DF-INOX	5,3	6	66	28	31,90
PRP3DF-INOX	5,4	6	66	28	31,90
PRP3DF-INOX	5,5	6	66	28	31,90
PRP3DF-INOX	5,6	6	66	28	31,90
PRP3DF-INOX	5,7	6	66	28	31,90
PRP3DF-INOX	5,8	6	66	28	31,90
PRP3DF-INOX	5,9	6	66	28	31,90
PRP3DF-INOX	6,0	6	66	28	31,90
PRP3DF-INOX	6,1	8	79	34	43,30
PRP3DF-INOX	6,2	8	79	34	43,30
PRP3DF-INOX	6,3	8	79	34	43,30
PRP3DF-INOX	6,4	8	79	34	43,30
PRP3DF-INOX	6,5	8	79	34	43,30
PRP3DF-INOX	6,6	8	79	34	43,30
PRP3DF-INOX	6,7	8	79	34	43,30
PRP3DF-INOX	6,8	8	79	34	43,30
PRP3DF-INOX	6,9	8	79	34	43,30
PRP3DF-INOX	7,0	8	79	34	43,30
PRP3DF-INOX	7,1	8	79	41	43,30
PRP3DF-INOX	7,2	8	79	41	43,30
PRP3DF-INOX	7,3	8	79	41	43,30
PRP3DF-INOX	7,4	8	79	41	43,30
PRP3DF-INOX	7,5	8	79	41	43,30
PRP3DF-INOX	7,6	8	79	41	43,30
PRP3DF-INOX	7,7	8	79	41	43,30
PRP3DF-INOX	7,8	8	79	41	43,30
PRP3DF-INOX	7,9	8	79	41	43,30
PRP3DF-INOX	8,0	8	79	41	43,30
PRP3DF-INOX	8,1	10	89	47	48,54
PRP3DF-INOX	8,2	10	89	47	48,54
PRP3DF-INOX	8,3	10	89	47	48,54

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

NEW

PUNTE PER INOX 3XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP3DF-INOX	8,4	10	89	47	48,54
PRP3DF-INOX	8,5	10	89	47	48,54
PRP3DF-INOX	8,6	10	89	47	48,54
PRP3DF-INOX	8,7	10	89	47	48,54
PRP3DF-INOX	8,8	10	89	47	48,54
PRP3DF-INOX	8,9	10	89	47	48,54
PRP3DF-INOX	9,0	10	89	47	48,54
PRP3DF-INOX	9,1	10	89	47	48,54
PRP3DF-INOX	9,2	10	89	47	48,54
PRP3DF-INOX	9,3	10	89	47	48,54
PRP3DF-INOX	9,4	10	89	47	48,54
PRP3DF-INOX	9,5	10	89	47	48,54
PRP3DF-INOX	9,6	10	89	47	48,54
PRP3DF-INOX	9,7	10	89	47	48,54
PRP3DF-INOX	9,8	10	89	47	48,54
PRP3DF-INOX	9,9	10	89	47	48,54
PRP3DF-INOX	10,0	10	89	47	48,54
PRP3DF-INOX	10,1	12	102	55	69,46
PRP3DF-INOX	10,2	12	102	55	69,46
PRP3DF-INOX	10,3	12	102	55	69,46
PRP3DF-INOX	10,4	12	102	55	69,46
PRP3DF-INOX	10,5	12	102	55	69,46
PRP3DF-INOX	10,6	12	102	55	69,46
PRP3DF-INOX	10,7	12	102	55	69,46
PRP3DF-INOX	10,8	12	102	55	69,46
PRP3DF-INOX	10,9	12	102	55	69,46
PRP3DF-INOX	11,0	12	102	55	69,46
PRP3DF-INOX	11,1	12	102	55	69,46
PRP3DF-INOX	11,2	12	102	55	69,46
PRP3DF-INOX	11,3	12	102	55	69,46
PRP3DF-INOX	11,4	12	102	55	69,46
PRP3DF-INOX	11,5	12	102	55	69,46
PRP3DF-INOX	11,6	12	102	55	69,46
PRP3DF-INOX	11,7	12	102	55	69,46
PRP3DF-INOX	11,8	12	102	55	69,46
PRP3DF-INOX	11,9	12	102	55	69,46
PRP3DF-INOX	12,0	12	102	55	69,46
PRP3DF-INOX	12,5	14	107	60	97,03
PRP3DF-INOX	13,0	14	107	60	97,03
PRP3DF-INOX	13,5	14	107	60	97,03
PRP3DF-INOX	14,0	14	107	60	97,03
PRP3DF-INOX	14,5	16	115	65	109,81
PRP3DF-INOX	15,0	16	115	65	109,81
PRP3DF-INOX	15,5	16	115	65	109,81
PRP3DF-INOX	16,0	16	115	65	109,81
PRP3DF-INOX	16,5	18	123	73	190,29
PRP3DF-INOX	17,0	18	123	73	190,29
PRP3DF-INOX	17,5	18	123	73	190,29
PRP3DF-INOX	18,0	18	123	73	190,29
PRP3DF-INOX	18,5	20	131	79	207,85
PRP3DF-INOX	19,0	20	131	79	207,85
PRP3DF-INOX	19,5	20	131	79	207,85
PRP3DF-INOX	20,0	20	131	79	207,85

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

NEW

PUNTE PER INOX 5XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DF-INOX	3,0	6	66	28	40,90
PRP5DF-INOX	3,1	6	66	28	40,90
PRP5DF-INOX	3,2	6	66	28	40,90
PRP5DF-INOX	3,3	6	66	28	40,90
PRP5DF-INOX	3,4	6	66	28	40,90
PRP5DF-INOX	3,5	6	66	28	40,90
PRP5DF-INOX	3,6	6	66	28	40,90
PRP5DF-INOX	3,7	6	66	28	40,90
PRP5DF-INOX	3,8	6	74	36	40,90
PRP5DF-INOX	3,9	6	74	36	40,90
PRP5DF-INOX	4,0	6	74	36	40,90
PRP5DF-INOX	4,1	6	74	36	40,90
PRP5DF-INOX	4,2	6	74	36	40,90
PRP5DF-INOX	4,3	6	74	36	40,90
PRP5DF-INOX	4,4	6	74	36	40,90
PRP5DF-INOX	4,5	6	74	36	40,90
PRP5DF-INOX	4,6	6	74	36	40,90
PRP5DF-INOX	4,7	6	74	36	40,90
PRP5DF-INOX	4,8	6	82	44	40,90
PRP5DF-INOX	4,9	6	82	44	40,90
PRP5DF-INOX	5,0	6	82	44	40,90
PRP5DF-INOX	5,1	6	82	44	40,90
PRP5DF-INOX	5,2	6	82	44	40,90
PRP5DF-INOX	5,3	6	82	44	40,90
PRP5DF-INOX	5,4	6	82	44	40,90
PRP5DF-INOX	5,5	6	82	44	40,90
PRP5DF-INOX	5,6	6	82	44	40,90
PRP5DF-INOX	5,7	6	82	44	40,90
PRP5DF-INOX	5,8	6	82	44	40,90
PRP5DF-INOX	5,9	6	82	44	40,90
PRP5DF-INOX	6,0	6	82	44	40,90
PRP5DF-INOX	6,1	8	91	53	45,17
PRP5DF-INOX	6,2	8	91	53	45,17
PRP5DF-INOX	6,3	8	91	53	45,17
PRP5DF-INOX	6,4	8	91	53	45,17
PRP5DF-INOX	6,5	8	91	53	45,17
PRP5DF-INOX	6,6	8	91	53	45,17
PRP5DF-INOX	6,7	8	91	53	45,17
PRP5DF-INOX	6,8	8	91	53	45,17
PRP5DF-INOX	6,9	8	91	53	45,17
PRP5DF-INOX	7,0	8	91	53	45,17
PRP5DF-INOX	7,1	8	91	53	45,17
PRP5DF-INOX	7,2	8	91	53	45,17
PRP5DF-INOX	7,3	8	91	53	45,17
PRP5DF-INOX	7,4	8	91	53	45,17
PRP5DF-INOX	7,5	8	91	53	45,17
PRP5DF-INOX	7,6	8	91	53	45,17
PRP5DF-INOX	7,7	8	91	53	45,17
PRP5DF-INOX	7,8	8	91	53	45,17
PRP5DF-INOX	7,9	8	91	53	45,17
PRP5DF-INOX	8,0	8	91	53	45,17
PRP5DF-INOX	8,1	10	103	61	53,84
PRP5DF-INOX	8,2	10	103	61	53,84
PRP5DF-INOX	8,3	10	103	61	53,84

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

NEW

PUNTE PER INOX 5XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP5DF-INOX	8,4	10	103	61	53,84
PRP5DF-INOX	8,5	10	103	61	53,84
PRP5DF-INOX	8,6	10	103	61	53,84
PRP5DF-INOX	8,7	10	103	61	53,84
PRP5DF-INOX	8,8	10	103	61	53,84
PRP5DF-INOX	8,9	10	103	61	53,84
PRP5DF-INOX	9,0	10	103	61	53,84
PRP5DF-INOX	9,1	10	103	61	53,84
PRP5DF-INOX	9,2	10	103	61	53,84
PRP5DF-INOX	9,3	10	103	61	53,84
PRP5DF-INOX	9,4	10	103	61	53,84
PRP5DF-INOX	9,5	10	103	61	53,84
PRP5DF-INOX	9,6	10	103	61	53,84
PRP5DF-INOX	9,7	10	103	61	53,84
PRP5DF-INOX	9,8	10	103	61	53,84
PRP5DF-INOX	9,9	10	103	61	53,84
PRP5DF-INOX	10,0	10	103	61	53,84
PRP5DF-INOX	10,1	12	118	71	75,62
PRP5DF-INOX	10,2	12	118	71	75,62
PRP5DF-INOX	10,3	12	118	71	75,62
PRP5DF-INOX	10,4	12	118	71	75,62
PRP5DF-INOX	10,5	12	118	71	75,62
PRP5DF-INOX	10,6	12	118	71	75,62
PRP5DF-INOX	10,7	12	118	71	75,62
PRP5DF-INOX	10,8	12	118	71	75,62
PRP5DF-INOX	10,9	12	118	71	75,62
PRP5DF-INOX	11,0	12	118	71	75,62
PRP5DF-INOX	11,1	12	118	71	75,62
PRP5DF-INOX	11,2	12	118	71	75,62
PRP5DF-INOX	11,3	12	118	71	75,62
PRP5DF-INOX	11,4	12	118	71	75,62
PRP5DF-INOX	11,5	12	118	71	75,62
PRP5DF-INOX	11,6	12	118	71	75,62
PRP5DF-INOX	11,7	12	118	71	75,62
PRP5DF-INOX	11,8	12	118	71	75,62
PRP5DF-INOX	11,9	12	118	71	75,62
PRP5DF-INOX	12,0	12	118	71	75,62
PRP5DF-INOX	12,5	14	124	77	101,78
PRP5DF-INOX	13,0	14	124	77	101,78
PRP5DF-INOX	13,5	14	124	77	101,78
PRP5DF-INOX	14,0	14	124	77	101,78
PRP5DF-INOX	14,5	16	133	83	134,52
PRP5DF-INOX	15,0	16	133	83	134,52
PRP5DF-INOX	15,5	16	133	83	134,52
PRP5DF-INOX	16,0	16	133	83	134,52
PRP5DF-INOX	16,5	18	143	93	201,22
PRP5DF-INOX	17,0	18	143	93	201,22
PRP5DF-INOX	17,5	18	143	93	201,22
PRP5DF-INOX	18,0	18	143	93	201,22
PRP5DF-INOX	18,5	20	153	101	230,39
PRP5DF-INOX	19,0	20	153	101	230,39
PRP5DF-INOX	19,5	20	153	101	230,39
PRP5DF-INOX	20,0	20	153	101	230,39

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

NEW

PUNTE PER INOX 8XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP8DF-INOX	3,0	6	72	34	77,89
PRP8DF-INOX	3,1	6	72	34	77,89
PRP8DF-INOX	3,2	6	72	34	77,89
PRP8DF-INOX	3,3	6	72	34	77,89
PRP8DF-INOX	3,4	6	72	34	77,89
PRP8DF-INOX	3,5	6	72	34	77,89
PRP8DF-INOX	3,6	6	72	34	77,89
PRP8DF-INOX	3,7	6	72	34	77,89
PRP8DF-INOX	3,8	6	81	43	77,89
PRP8DF-INOX	3,9	6	81	43	77,89
PRP8DF-INOX	4,0	6	81	43	77,89
PRP8DF-INOX	4,1	6	81	43	77,89
PRP8DF-INOX	4,2	6	81	43	77,89
PRP8DF-INOX	4,3	6	81	43	77,89
PRP8DF-INOX	4,4	6	81	43	77,89
PRP8DF-INOX	4,5	6	81	43	77,89
PRP8DF-INOX	4,6	6	81	43	77,89
PRP8DF-INOX	4,7	6	81	43	77,89
PRP8DF-INOX	4,8	6	95	57	77,89
PRP8DF-INOX	4,9	6	95	57	77,89
PRP8DF-INOX	5,0	6	95	57	77,89
PRP8DF-INOX	5,1	6	95	57	77,89
PRP8DF-INOX	5,2	6	95	57	77,89
PRP8DF-INOX	5,3	6	95	57	77,89
PRP8DF-INOX	5,4	6	95	57	77,89
PRP8DF-INOX	5,5	6	95	57	77,89
PRP8DF-INOX	5,6	6	95	57	77,89
PRP8DF-INOX	5,7	6	95	57	77,89
PRP8DF-INOX	5,8	6	95	57	77,89
PRP8DF-INOX	5,9	6	95	57	77,89
PRP8DF-INOX	6,0	6	95	57	77,89
PRP8DF-INOX	6,1	8	114	76	84,78
PRP8DF-INOX	6,2	8	114	76	84,78
PRP8DF-INOX	6,3	8	114	76	84,78
PRP8DF-INOX	6,4	8	114	76	84,78
PRP8DF-INOX	6,5	8	114	76	84,78
PRP8DF-INOX	6,6	8	114	76	84,78
PRP8DF-INOX	6,7	8	114	76	84,78
PRP8DF-INOX	6,8	8	114	76	84,78
PRP8DF-INOX	6,9	8	114	76	84,78
PRP8DF-INOX	7,0	8	114	76	84,78
PRP8DF-INOX	7,1	8	114	76	84,78
PRP8DF-INOX	7,2	8	114	76	84,78
PRP8DF-INOX	7,3	8	114	76	84,78
PRP8DF-INOX	7,4	8	114	76	84,78
PRP8DF-INOX	7,5	8	114	76	84,78
PRP8DF-INOX	7,6	8	114	76	84,78
PRP8DF-INOX	7,7	8	114	76	84,78
PRP8DF-INOX	7,8	8	114	76	84,78
PRP8DF-INOX	7,9	8	114	76	84,78
PRP8DF-INOX	8,0	8	114	76	84,78
PRP8DF-INOX	8,1	10	142	95	116,09
PRP8DF-INOX	8,2	10	142	95	116,09
PRP8DF-INOX	8,3	10	142	95	116,09

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME

NEW

PUNTE PER INOX 8XD CON FORI DIN 6537



ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIANTE	PREZZO €
PRP8DF-INOX	8,4	10	142	95	116,09
PRP8DF-INOX	8,5	10	142	95	116,09
PRP8DF-INOX	8,6	10	142	95	116,09
PRP8DF-INOX	8,7	10	142	95	116,09
PRP8DF-INOX	8,8	10	142	95	116,09
PRP8DF-INOX	8,9	10	142	95	116,09
PRP8DF-INOX	9,0	10	142	95	116,09
PRP8DF-INOX	9,1	10	142	95	116,09
PRP8DF-INOX	9,2	10	142	95	116,09
PRP8DF-INOX	9,3	10	142	95	116,09
PRP8DF-INOX	9,4	10	142	95	116,09
PRP8DF-INOX	9,5	10	142	95	116,09
PRP8DF-INOX	9,6	10	142	95	116,09
PRP8DF-INOX	9,7	10	142	95	116,09
PRP8DF-INOX	9,8	10	142	95	116,09
PRP8DF-INOX	9,9	10	142	95	116,09
PRP8DF-INOX	10,0	10	142	95	116,09
PRP8DF-INOX	10,1	12	162	114	154,10
PRP8DF-INOX	10,2	12	162	114	154,10
PRP8DF-INOX	10,3	12	162	114	154,10
PRP8DF-INOX	10,4	12	162	114	154,10
PRP8DF-INOX	10,5	12	162	114	154,10
PRP8DF-INOX	10,6	12	162	114	154,10
PRP8DF-INOX	10,7	12	162	114	154,10
PRP8DF-INOX	10,8	12	162	114	154,10
PRP8DF-INOX	10,9	12	162	114	154,10
PRP8DF-INOX	11,0	12	162	114	154,10
PRP8DF-INOX	11,1	12	162	114	154,10
PRP8DF-INOX	11,2	12	162	114	154,10
PRP8DF-INOX	11,3	12	162	114	154,10
PRP8DF-INOX	11,4	12	162	114	154,10
PRP8DF-INOX	11,5	12	162	114	154,10
PRP8DF-INOX	11,6	12	162	114	154,10
PRP8DF-INOX	11,7	12	162	114	154,10
PRP8DF-INOX	11,8	12	162	114	154,10
PRP8DF-INOX	11,9	12	162	114	154,10
PRP8DF-INOX	12,0	12	162	114	154,10
PRP8DF-INOX	12,5	14	178	133	182,18
PRP8DF-INOX	13,0	14	178	133	182,18
PRP8DF-INOX	13,5	14	178	133	182,18
PRP8DF-INOX	14,0	14	178	133	182,18

PROMOZIONE PUNTE METALLO DURO INTEGRALE RIVESTITE XTREME**NEW****PUNTE PER TEMPRATO HRC50~HRC70 DIN 6537**

ART.-NR CODICE TIALN	DIAMETRO PUNTE	DIAMETRO GAMBO	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRP-HS	3,0	3	46	16	10,92
PRP-HS	3,3	4	48	18	12,47
PRP-HS	3,4	4	50	20	12,47
PRP-HS	3,5	4	50	20	12,47
PRP-HS	4,0	4	52	22	12,76
PRP-HS	4,2	6	65	25	18,10
PRP-HS	4,3	6	68	28	18,10
PRP-HS	4,4	6	68	28	18,10
PRP-HS	4,5	6	68	28	18,10
PRP-HS	5,0	6	72	32	18,10
PRP-HS	5,1	6	72	32	18,10
PRP-HS	5,2	6	72	32	18,10
PRP-HS	5,5	6	75	35	18,10
PRP-HS	6,0	6	75	35	18,10
PRP-HS	6,5	8	80	40	30,34
PRP-HS	6,8	8	85	45	30,34
PRP-HS	6,9	8	85	45	30,34
PRP-HS	7,0	8	85	45	30,34
PRP-HS	7,5	8	85	45	30,34
PRP-HS	8,0	8	98	50	32,92
PRP-HS	8,5	10	98	50	41,73
PRP-HS	8,6	10	105	57	41,73
PRP-HS	8,8	10	105	57	41,73
PRP-HS	9,0	10	105	57	41,73
PRP-HS	9,5	10	105	57	41,73
PRP-HS	10,0	10	111	63	49,25
PRP-HS	10,2	12	111	63	64,13
PRP-HS	10,3	12	111	63	64,13
PRP-HS	10,5	12	111	63	64,13
PRP-HS	10,8	12	119	71	64,13
PRP-HS	11,0	12	119	71	64,13
PRP-HS	11,5	12	119	71	64,13
PRP-HS	12,0	12	119	71	64,13
PRP-HS	14,0	14	125	77	80,22

PROMOZIONE PUNTE METALLO DURO INTEGRALE

PUNTE DIN 1897



ART.-NR	DIAMETRO PUNTE	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRPED*	1,0	26	6	5,00
PRPED*	1,1	28	7	5,00
PRPED*	1,2	30	8	4,81
PRPED*	1,3	30	8	4,81
PRPED*	1,4	32	9	4,81
PRPED*	1,5	32	9	4,57
PRPED*	1,6	34	10	4,57
PRPED*	1,7	34	10	4,57
PRPED*	1,8	36	11	4,57
PRPED*	1,9	36	11	4,57
PRPED	2,0	38	12	3,54
PRPED	2,1	38	12	3,92
PRPED	2,2	40	13	3,92
PRPED	2,3	40	13	3,92
PRPED	2,4	43	14	3,92
PRPED	2,5	43	14	3,92
PRPED	2,6	43	14	3,92
PRPED	2,7	46	16	5,23
PRPED	2,8	46	16	5,23
PRPED	2,9	46	16	5,23
PRPED	3,0	46	16	5,23
PRPED	3,1	49	18	5,33
PRPED	3,2	49	18	5,33
PRPED	3,3	49	18	5,33
PRPED	3,4	52	20	5,75
PRPED	3,5	52	20	5,75
PRPED	3,6	52	20	6,33
PRPED	3,7	52	20	6,33
PRPED	3,8	52	20	6,83
PRPED	3,9	55	22	6,83
PRPED	4,0	55	22	6,83
PRPED	4,1	55	22	7,19
PRPED	4,2	55	22	7,19
PRPED	4,3	58	24	7,62
PRPED	4,4	58	24	7,62
PRPED	4,5	58	24	7,62
PRPED	4,6	58	24	7,62
PRPED	4,7	58	24	8,20
PRPED	4,8	62	26	8,20
PRPED	4,9	62	26	8,20
PRPED	5,0	62	26	8,20
PRPED	5,1	62	26	8,20
PRPED	5,2	62	26	10,67
PRPED	5,3	62	26	10,67
PRPED	5,4	66	28	10,67
PRPED	5,5	66	28	10,67
PRPED	5,6	66	28	11,35
PRPED	5,7	66	28	11,35
PRPED	5,8	66	28	11,35
PRPED	5,9	66	28	11,35
PRPED	6,0	66	28	11,35

* Nuove misure

PROMOZIONE PUNTE METALLO DURO INTEGRALE

PUNTE DIN 1897



ART.-NR	DIAMETRO PUNTE	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRPED	6,1	70	31	14,16
PRPED	6,2	70	31	14,16
PRPED	6,3	70	31	14,16
PRPED	6,4	70	31	14,16
PRPED	6,5	70	31	13,78
PRPED	6,6	70	31	16,74
PRPED	6,7	70	31	16,74
PRPED	6,8	74	34	16,74
PRPED	6,9	74	34	16,74
PRPED	7,0	74	34	16,52
PRPED	7,1	74	34	20,02
PRPED	7,2	74	34	20,02
PRPED	7,3	74	34	20,02
PRPED	7,4	74	34	20,02
PRPED	7,5	74	34	19,92
PRPED	7,6	79	37	22,64
PRPED	7,7	79	37	22,64
PRPED	7,8	79	37	22,64
PRPED	7,9	79	37	22,64
PRPED	8,0	79	37	22,28
PRPED	8,1	79	37	27,67
PRPED	8,2	79	37	27,67
PRPED	8,3	79	37	27,67
PRPED	8,4	79	37	27,67
PRPED	8,5	79	37	28,05
PRPED	8,6	84	40	30,00
PRPED	8,7	84	40	30,00
PRPED	8,8	84	40	30,00
PRPED	8,9	84	40	30,00
PRPED	9,0	84	40	28,35
PRPED	9,1	84	40	32,86
PRPED	9,2	84	40	32,86
PRPED	9,3	84	40	32,86
PRPED	9,4	84	40	32,86
PRPED	9,5	84	40	31,55
PRPED	9,6	89	43	33,89
PRPED	9,7	89	43	33,89
PRPED	9,8	89	43	33,89
PRPED	9,9	89	43	33,89
PRPED	10,0	89	43	32,36
PRPED	10,2	89	43	38,40
PRPED	10,5	89	43	38,40
PRPED	11,0	95	47	42,64
PRPED	11,5	95	47	49,99
PRPED	12,0	102	51	49,99
PRPED	13,0	102	51	60,54

PROMOZIONE PUNTE METALLO DURO INTEGRALE

PUNTE DIN 338



ART.-NR	DIAMETRO PUNTE	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRPCD	1,0	34	12	5,07
PRPCD	1,1	36	14	5,07
PRPCD	1,2	38	16	5,07
PRPCD	1,3	38	16	5,07
PRPCD	1,4	40	18	5,07
PRPCD	1,5	40	18	5,07
PRPCD	1,6	43	20	5,07
PRPCD	1,7	43	20	5,07
PRPCD	1,8	46	22	5,07
PRPCD	1,9	46	22	5,07
PRPCD	2,0	49	24	4,61
PRPCD	2,1	49	24	5,39
PRPCD	2,2	53	27	5,92
PRPCD	2,3	53	27	5,92
PRPCD	2,4	57	30	5,92
PRPCD	2,5	57	30	5,84
PRPCD	2,6	57	30	7,81
PRPCD	2,7	61	33	7,81
PRPCD	2,8	61	33	7,81
PRPCD	2,9	61	33	7,81
PRPCD	3,0	61	33	7,53
PRPCD	3,1	65	36	7,53
PRPCD	3,2	65	36	7,53
PRPCD	3,3	65	36	7,62
PRPCD	3,4	70	39	8,46
PRPCD	3,5	70	39	8,26
PRPCD	3,6	70	39	8,95
PRPCD	3,7	70	39	8,95
PRPCD	3,8	75	43	9,49
PRPCD	3,9	75	43	9,49
PRPCD	4,0	75	43	9,38
PRPCD	4,1	75	43	9,66
PRPCD	4,2	75	43	9,66
PRPCD	4,3	80	47	12,77
PRPCD	4,4	80	47	12,77
PRPCD	4,5	80	47	11,65
PRPCD	4,6	80	47	13,21
PRPCD	4,7	80	47	13,21
PRPCD	4,8	86	52	13,71
PRPCD	4,9	86	52	13,71
PRPCD	5,0	86	52	12,70
PRPCD	5,1	86	52	15,41
PRPCD	5,2	86	52	15,41
PRPCD	5,3	86	52	15,41
PRPCD	5,4	93	57	17,49
PRPCD	5,5	93	57	16,85
PRPCD	5,6	93	57	18,40
PRPCD	5,7	93	57	18,40
PRPCD	5,8	93	57	18,40
PRPCD	5,9	93	57	18,40
PRPCD	6,0	93	57	17,83

* Nuove misure

PROMOZIONE PUNTE METALLO DURO INTEGRALE

PUNTE DIN 338



ART.-NR	DIAMETRO PUNTE	LUNGHEZZA TOTALE	LUNGHEZZA TAGLIENTE	PREZZO €
PRPCD	6,1	101	63	22,81
PRPCD	6,2	101	63	22,81
PRPCD	6,3	101	63	22,81
PRPCD	6,4	101	63	22,81
PRPCD	6,5	101	63	22,10
PRPCD	6,8	109	69	26,76
PRPCD	7,0	109	69	26,52
PRPCD	8,0	117	75	31,55
PRPCD	8,5	117	75	36,74
PRPCD	9,0	125	81	37,28
PRPCD	10,0	133	87	46,29
PRPCD	10,2	133	87	55,99
PRPCD	12,0	151	101	76,27



Direzione Generale e Sede Legale

Via Monte Grappa, 78 - 20020 Arese (MI)

Tel.: +39 02 99766700

Fax: +39 02 99766710

Unità locale Rivoli (TO)

Via Pavia, 11B - 10090 Cascine Vica - Rivoli (TO)

Tel.: +39 011 9588693 - 9015943

Fax: +39 011 9588291 - 9031563

Unità locale Conegliano (TV)

Viale Venezia, 50 - 31015 Conegliano (TV)

Tel.: +39 0438 453070 r.a.

Fax: +39 0438 453985

www.taegutec.it

info@taegutec.it